



**Analyselijst GC-MS**

**Analysepakket GC-MS AGF<sup>®</sup>: Lijst van componenten en hun rapportagegrens in mg/kg.**

2,4,6-Trichloorfenol <sup>1</sup>	0.01	Chloorfluazuron	0.01	Dicrotofos	0.01
2,4D-Methylester	0.01	Chloormefos	0.01	Dieldrin	0.01
2,6-Dichloorbenzamide <sup>2</sup>	0.01	Chlooroxuron	0.02	Diethofencarb Q	0.01
Acibenzolar-S-methyl	0.01	Chloorprofam Q	0.01	Difenamid	0.01
Aclonifen	0.01	Chloorpropylaate Q	0.01	Difenoconazool Q*	0.02
Acrinathrin Q	0.05	Chloorpyrifos-ethyl Q	0.01	Difenoxuron	0.01
Alachloor	0.01	Chloorpyrifos-methyl Q	0.01	Difenylamine Q	0.01
Aldrin	0.01	Chloorthal-dimethyl Q	0.01	Diflubenzuron*	0.05
Allethrin	0.01	Chloorthalonil Q	0.01	Diflufenican	0.01
Ametoctradin	0.01	Chloorthiofos	0.01	Dimethachloor	0.01
Ametryn	0.01	Chloorthiofos-sulfon	0.01	Dimethenamid-p Q	0.01
Aminocarb	0.01	Chloorthion	0.02	Dimethipin	0.05
Amitraz*	0.04	Chloroneb	0.01	Dimethirimol	0.01
Atrazin	0.01	Chlozolinaat	0.01	Dimethoaat Q	0.01
Azaconazool	0.01	Cinmethylin	0.01	Dimethomorf	0.01
Azinfos-ethyl Q	0.02	Climbazool	0.05	Dimethylvinfos	0.01
Aziprotryn	0.01	Clodinafop-propargyl	0.01	Dimoxystrobine Q	0.01
Azoxystrobin Q	0.01	Clofentezin*	0.03	Diniconazool Q	0.01
Barban	0.1	Cloquintocet-mexyl	0.01	Dinobuton	0.01
Benalaxyl Q	0.01	Coumafos	0.01	Dinoseb	0.01
Benazolin-ethyl	0.01	Crimidine	0.01	Dinoterb	0.01
Bendiocarb	0.01	Crufomaat	0.01	Dioxabenzofos	0.01
Benfluralin	0.01	Cyanazin	0.01	Dioxacarb	0.01
Benfuracarb*	0.02	Cyanofenos	0.01	Dioxathion	0.01
Benodanil	0.01	Cyanofos	0.01	Dipropetryn	0.01
Benzoylprop-ethyl	0.01	Cycloaat	0.01	Disulfoton	0.01
Bifenazaat	0.02	Cyfluthrin	0.03	Disulfotonsulfon	0.01
Bifenox	0.01	Cyhalofop-butyl	0.01	Ditalimfos	0.01
Bifenthrin Q	0.01	Cyhalothrin, Lambda- Q	0.01	DNOC	0.01
Bifenyl(=difenyl) Q	0.01	Cymiazool	0.01	Dodemorf	0.01
Binapacryl	0.02	Cypermethrin	0.02	Edifenfos	0.01
Bitertanol Q*	0.02	Cyproconazool Q*	0.03	Endosulfan-alfa Q	0.02
Boscalid Q	0.01	Cyprodinil Q	0.01	Endosulfan-beta Q	0.02
Bromacil	0.01	Cyprofuram	0.01	Endosulfansulfaat Q	0.02
Bromocyclen	0.01	Dazomet	0.01	Endrin	0.01
Bromofos-ethyl Q	0.01	DDD (o,p) Q	0.01	EPN Q	0.01
Bromofos-methyl Q	0.01	DDD (p,p) Q	0.01	Epoxiconazool Q*	0.02
Bromoxynil-methyl	0.01	DDE (o,p) Q	0.01	EPTC	0.01
Bromoxynil-octanoaat	0.05	DDE (p,p) Q	0.01	Esfenvaleraat (RS&SR) Q	0.01
Bromuconazool Q*	0.04	DDT (o,p) Q	0.01	Esfenvaleraat (RR&SS) Q	0.01
Broompropylaate Q	0.01	DDT (p,p) Q	0.01	Etaconazool	0.01
Bupirimaat Q*	0.03	DEET	0.01	Ethiofencarb	0.01
Buprofezin	0.01	Deltamethrin Q	0.03	Ethiofencarb-sulfon	0.01
Butralin	0.01	Demeton-O	0.05	Ethion Q	0.01
Butylaate	0.01	Demeton-O-sulfoxide	0.05	Ethofumesaat	0.01
Cadusafos Q	0.01	Demeton-S	0.05	Ethoprofos Q	0.01
Captafol	0.01	Demeton-S-methyl*	0.05	Ethoxyquine	0.01
Captan	0.01	Demeton-S-methylsulfon*	0.05	Etofenprox Q	0.01
Carbaryl Q	0.01	Desmetryn Q	0.01	Etozazool	0.02
Carbofenothion	0.01	Diafenthiuron*	0.02	Etridiazool	0.04
Carbofuran Q	0.01	Dialifos	0.01	Etrimfos	0.05
Carbofuran-3-OH	0.01	Diallaate	0.01	Famofos (Famfur)	0.02
Carbofuran-fenol	0.01	Diazinon Q	0.01	Famoxadone	0.01
Carboxin	0.01	Dichlobenil	0.01	Fenamifos	0.01
Chinomethionaate	0.01	Dichlofenthion Q	0.01	Fenarimol Q	0.01
Chloor-3-Methylfenol	0.01	Dichlofluanide	0.01	Fenazaquin Q	0.01
Chlooraniline (3-)	0.05	Dichlooraniline (3,4-)	0.01	Fenbuconazool Q	0.01
Chloorbenzide	0.01	Dichlooraniline (3,5-)	0.01	Fenchloorfos	0.01
Chloorbenzilaate Q	0.01	Dichloorprop-2-ethyl-hexyl	0.01	Fenhexamide	0.01
Chloorbromuron	0.01	Dichloorprop-methyl	0.01	Fenithrothion Q	0.01
Chloorbufam	0.01	Dichloorvos	0.01	Fenmedifam	0.01
Chloordaan Q	0.05	Diclobutrazool	0.01	Fenobucarb	0.01
Chloorfenapyr Q	0.01	Diclofop-methyl	0.01	Fenothrin	0.01
Chloorfenson	0.01	Dicloran Q	0.01	Fenoxaprop-p	0.01
Chloorfenvinfos (α+β) Q	0.01	Dicofol	0.01	Fenoxycarb Q	0.01



## Analyselijst GC-MS

Fenpiclonil Q	0.03	Hexazinon	0.01	Oxadixyl Q	0.01
Fenpropathrin	0.01	Hexythiazox	0.01	Oxycarboxin	0.01
Fenpropidin	0.01	Imazalil	0.01	Oxychlooraan	0.01
Fenpropimorf Q*	0.02	Imazamethabenz-methyl	0.01	Oxyfluorfen	0.01
Fenson	0.01	Indoxacarb*	0.02	Paclobutrazool Q	0.01
Fensulfothion	0.02	loxynil methyl	0.01	Paraoxon-ethyl*	0.05
Fensulfothion-sulfon	0.02	loxynil octanoaat	0.05	Paraoxon-methyl*	0.05
Fenthion Q	0.01	lprobenfos	0.01	Parathion-ethyl Q	0.01
Fenthion-sulfoxide	0.01	lprodion Q	0.01	Parathion-methyl Q	0.01
Fentooat Q	0.01	lprovalicarb	0.01	Pebulaat	0.05
Fenuron	0.01	Isazofos	0.01	Penconazool Q	0.01
Fenvaleraat Q	0.01	Isodrin	0.01	Pencycuron Q	0.01
Fenylfenol-2 Q	0.01	Isofenfos Q	0.01	Pendimethalin Q	0.01
Fipronil Q	0.01	Isofenfos-methyl	0.01	Pentachlooraniline	0.01
Fipronil-desulfinyl	0.01	Isofenfos-oxon	0.01	Pentachlooranisole Q	0.05
Fipronil-sulfide	0.01	Isoprocarb	0.01	Pentachloorfenol	0.01
Fipronil-sulfon	0.05	Isoprothiolane	0.01	Penthiopyrad	0.01
Flamprop-M-isopropyl	0.01	Isoproturon	0.01	Permethrin Q	0.01
Flamprop-M-methyl	0.01	Isoxadifen-ethyl	0.02	Perthaan	0.01
Flonicamid	0.01	Joodfenfos	0.05	Picolinafen Q	0.05
Fluazifop-p-butyl	0.01	Kresoxim methyl Q	0.01	Picoxystrobin*	0.05
Fluazinam	0.01	Lenacil	0.01	Piperonyl-butoxide Q	0.01
Fluchloralin	0.01	Leptofos	0.01	Pirimicarb Q	0.01
Flucycloxon	0.02	Lufenuron	0.03	Pirimicarb-desmethyl	0.01
Flucythrinaat Q	0.05	Malaoxon	0.01	Pirimicarb-desmethyl-formadide	0.1
Fludioxonil Q	0.01	Malathion Q*	0.05	Pirimifos-ethyl Q	0.01
Flufenacet Q	0.01	Mecarbam Q	0.01	Pirimifos-methyl Q	0.01
Flufenoxuron Q*	0.05	Mefosfolan	0.01	Prochloraz Q*	0.02
Flufenzin	0.01	Mefenpyr-diethyl	0.01	Procymidon Q	0.01
Flumioxazin Q	0.02	Mepanipyrim	0.01	Profam Q	0.01
Fluometuron	0.01	Mepronil Q	0.01	Profenofos Q*	0.02
Fluopicolide	0.02	Metalaxyl Q	0.01	Profluralin Q	0.01
Fluotrimazool	0.05	Metamitron	0.01	Profoxydim-lithium	0.05
Fluquinconazool Q	0.01	Metazachloor Q	0.01	Promecarb	0.01
Flurenol-butyl	0.01	Metconazool Q*	0.02	Prometryn	0.01
Flurochloridon	0.01	Methabenzthiazuron	0.01	Propachloor	0.01
Fluroxypr-1-methyl	0.01	Methacrifos	0.01	Propachloor, 2-OH	0.01
Flusilazool Q	0.01	Methidathion Q	0.01	Propafos	0.01
Flutolanil	0.01	Methiocarb Q	0.01	Propanil	0.01
Flutriafol*	0.03	Methiocarb-sulfoxide*	0.03	Propargiet Q*	0.02
Fluvalinaat Q	0.02	Methopreen	0.01	Propazine	0.01
Folpet	0.02	Methoprotryne	0.01	Propetamfos	0.01
Fonofos Q	0.01	Methoxychloor Q	0.01	Propiconazool Q*	0.02
Foraat*	0.05	Metobromuron Q*	0.02	Propoxur Q	0.01
Foraat-sulfon Q*	0.05	Metolachloor-S	0.05	Propyzamide Q	0.01
Foraat-sulfoxide*	0.05	Metolcarb	0.01	Proquinazid	0.01
Formothion Q	0.02	Metoxuron	0.01	Prosulfocarb	0.01
Fosalon Q	0.01	Metrafenon	0.01	Prothiofos Q	0.01
Fosfamidon	0.01	Metribuzin Q	0.01	Prothoat	0.01
Fosmet	0.01	Mevinfos Q	0.01	Pyracarbolid	0.01
Fosthiazaat	0.01	Mirex	0.01	Pyraclofos	0.01
Foxim	0.01	Monalide	0.01	Pyraflufen-ethyl Q	0.02
Fuberidazool	0.01	Monocrotofos*	0.03	Pyrazofos Q	0.01
Furalaxyl Q	0.01	Monolinuron	0.01	Pyrethrinen	0.01
Furathiocarb Q	0.01	Myclobutanil	0.01	Pyridaben Q	0.01
Furmecyclox	0.01	Naftol-1- $\alpha$	0.01	Pyridafenthion Q	0.01
Halfenprox	0.01	Napropamide	0.01	Pyridalyl	0.01
Haloxyfop-ethoxyethyl Q	0.01	Nitralin	0.01	Pyrifenox Q	0.01
Haloxyfop-p-methyl	0.01	Nitrapyrin	0.05	Pyrimethanil Q	0.01
HCH-alfa	0.01	Nitrofen	0.01	Pyriproxyfen Q	0.01
HCH-beta	0.01	Nitrothal-isopropyl	0.01	Pyroquilon	0.01
HCH-gamma (Lindaan) Q	0.01	Norflurazon	0.01	Quinalfos Q	0.01
Heptachloor	0.01	Nuarimol Q*	0.04	Quinoxifen Q	0.01
Heptachloorepoxide	0.01	Ofurace	0.01	Quintozeen Q	0.01
Heptenofos Q	0.01	Orbencarb	0.01	Quizalofop-ethyl	0.01
Hexachloorbenzeen Q	0.01	Oxadiargyl	0.01	Resmethrin	0.02
Hexaconazool	0.01	Oxadiazon	0.01	S 421	0.1
Hexaflumuron	0.01			Sethoxydim	0.02

**Analyselijst GC-MS**

Silafluofen	0.01	Terbumeton	0.01	Triadimenol Q	0.01
Silthiofam	0.01	Terbuthylazine Q	0.01	Triallaat	0.01
Simazin Q	0.01	Terbutryn	0.01	Triamifos	0.01
Spiromesifen	0.01	Tetrachloorvinfos	0.01	Triazamaat*	0.05
Spiroxamine Q	0.01	Tetraconazool Q	0.01	Triazofos Q	0.01
Sulfotep	0.01	Tetradifon Q	0.02	Trichloronaat	0.01
Sulprofos	0.01	Tetramethrin	0.01	Tricyclazool	0.01
Tebuconazool Q	0.01	Tetrasul	0.01	Trietazine	0.01
Tebufenpyrad Q	0.01	Thiabendazool	0.01	Trifenmorf	0.01
Tebupirimfos	0.01	Thiobencarb	0.01	Trifloxystrobin Q	0.01
Tebuthiuron	0.01	Thiocyclam	0.01	Triflumizool Q*	0.05
Tecnazeen Q	0.01	Thiometon	0.01	Trifluralin Q	0.01
Teflubenzuron	0.01	Thiometon-sulfon	0.01	Trinexapac-ethyl	0.01
Tefluthrin Q	0.01	Tolclofos-methyl Q	0.01	Vernolaat	0.01
TEPP	0.01	Tolyfluanide Q*	0.02	Vinclozolin Q	0.01
Tepaloxymid	0.01	Tralkoxydim	0.1	Zoxamide	0.01
Terbacil	0.01	Transfluthrin	0.01		
Terbufos Q	0.01	Triadimefon Q	0.01		

\*: Componenten die in de LC-MS/MS screening op 0.01 mg/kg bepaald worden

<sup>1</sup> 2.4.6-Trichloorfenol, afbraakproduct van Prochloraz

<sup>2</sup> 2.6-Dichloorbenzamide, afbraakproduct van Dichlobenil



**Analyselijst GC-MSMS**

**Analysepakket GC-MSMS\*: Lijst van componenten en hun rapportagegrens in mg/kg.**

2,4,6-Trichloorfenol <sup>1</sup>	0.01	Chloormefos	0.01	Dicrotofos	0.01
2,4D-Methylester	0.01	Chlooroxuron Q	0.01	Dieldrin Q	0.01
2,6-Dichloorbenzamide <sup>2</sup>	0.01	Chloorprofam Q	0.01	Diethofencarb Q	0.01
Acibenzolar-S-methyl	0.01	Chloorpropylaate Q	0.01	Difenamid Q	0.01
Aclonifen Q	0.01	Chloorpyrifos-ethyl Q	0.01	Difenoconazool Q	0.01
Acrinathrin Q	0.01	Chloorpyrifos-methyl Q	0.01	Difenofoxuron	0.01
Alachloor	0.01	Chloorthal-dimethyl Q	0.01	Difenylamine Q	0.01
Aldrin Q	0.01	Chloorthalonil Q	0.01	Diflubenzuron Q	0.01
Allethrin	0.01	Chloorthiofos	0.01	Diflufenican	0.01
Ametoctradin	0.01	Chloorthiofos-sulfon	0.01	Dimethachloor	0.01
Ametryn	0.01	Chloorthion	0.01	Dimethenamid-p Q	0.01
Aminocarb	0.01	Chloroneb	0.01	Dimethipin	0.01
Atrazin	0.01	Chlozolinaat Q	0.01	Dimethirimol	0.01
Azaconazool Q	0.01	Cinmethylin	0.01	Dimethoaat Q	0.01
Azinfos-ethyl Q	0.01	Climbazool	0.01	Dimethomorf Q	0.01
Azinfos-methyl	0.01	Clodinafop-propargyl	0.01	Dimethylvinfos	0.01
Aziprotryn	0.01	Clofentezin Q	0.01	Dimoxystrobine Q	0.01
Azoxystrobin Q	0.01	Cloquintocet-mexyl	0.01	Diniconazool Q	0.01
Barban	0.01	Coumafos	0.01	Dinobuton	0.1
Benalaxyl Q	0.01	Crimidine	0.01	Dinoseb	0.01
Benazolin-ethyl	0.01	Crufomaat	0.01	Dinoterb	0.01
Bendiocarb	0.01	Cyanazin	0.01	Dioxabenzofos	0.01
Benfluralin Q	0.01	Cyanofenfos	0.01	Dioxacarb	0.01
Benfuracarb	0.01	Cyanofos	0.01	Dioxathion	0.01
Benodanil	0.01	Cycloaat	0.01	Dipropetryn	0.01
Benzoylprop-ethyl	0.01	Cyfluthrin Q	0.01	Disulfoton Q	0.01
Bifenazaat Q	0.01	Cyhalofop-butyl Q	0.01	Disulfoton-sulfon	0.01
Bifenox	0.01	Cyhalothrin, Lambda- Q	0.01	Ditalimfos Q	0.01
Bifenthrin Q	0.01	Cymiazool	0.01	DMSA	0.01
Bifenyl(=difenyl) Q	0.01	Cypermethrin Q	0.01	DMST	0.01
Bitertanol Q	0.01	Cyproconazool Q	0.01	DNOC	0.01
Boscalid Q	0.01	Cyprodinil Q	0.01	Dodemorf Q	0.01
Bromacil	0.01	Cyprofuram	0.01	Edifenfos	0.01
Bromocyclen	0.01	Dazomet	0.01	Endosulfan-alfa Q	0.01
Bromofos-ethyl Q	0.01	DDD (o,p) Q	0.01	Endosulfan-beta Q	0.01
Bromofos-methyl Q	0.01	DDD (p,p) Q	0.01	Endosulfansulfaat Q	0.01
Bromoxynil-methyl	0.01	DDE (o,p) Q	0.01	Endrin Q	0.01
Bromoxynil-octanoaat	0.01	DDE (p,p) Q	0.01	EPN Q	0.01
Bromuconazool Q	0.01	DDT (o,p) Q	0.01	Epoxiconazool Q	0.01
Broompropylaate Q	0.01	DDT (p,p) Q	0.01	EPTC	0.01
Bupirimaat Q	0.01	DEET	0.01	Esfenvaleraat (RS&SR) Q	0.01
Buprofezin Q	0.01	Deltamethrin Q	0.01	Esfenvaleraat (RR&SS) Q	0.01
Butralin Q	0.01	Demeton-O	0.01	Etaconazool	0.01
Butylaate	0.01	Demeton-O-sulfoxide	0.01	Ethiofencarb	0.01
Cadusafos Q	0.01	Demeton-S	0.01	Ethion Q	0.01
Captafol	0.01	Demeton-S-methyl Q	0.01	Ethofumesaat	0.01
Captan	0.01	Demeton-S-methylsulfon	0.01	Ethofumesaat, 2-keto	0.01
Carbaryl Q	0.01	Desmetyrn Q	0.01	Ethoprofos Q	0.01
Carbofenothion Q	0.01	Diafenthion	0.01	Ethoxyquin Q	0.01
Carbofuran Q	0.01	Dialifos	0.01	Etofenprox Q	0.01
Carbofuran-3-OH Q	0.01	Diallaate	0.01	Etiazool Q	0.01
Carbofuran-fenol Q	0.01	Diazinon Q	0.01	Etridiazool Q	0.02
Carboxin	0.01	Dichlobenil	0.01	Etrimfos Q	0.01
Chinomethionaate	0.01	Dichlorobenzonitrile (2.6-) Q	0.01	Famofos (Famfur)	0.01
Chloor-3-Methylfenol	0.01	Dichlofenthion Q	0.01	Famoxadone	0.01
Chlooraniline (3-) Q	0.01	Dichlofluanide	0.01	Fenamifos	0.01
Chloorbenzide	0.01	Dichlooraniline (3,4-)	0.01	Fenarimol Q	0.01
Chloorbenzilaate Q	0.01	Dichlooraniline (3,5-)	0.01	Fenazaquin Q	0.01
Chloorbromuron	0.01	Dichloorprop-2-ethyl-hexyl	0.01	Fenbuconazool Q	0.01
Chloorbufam	0.01	Dichloorprop-methyl	0.01	Fenchloorfos	0.01
Chloordaen Q	0.01	Dichloorvos Q	0.01	Fenhexamide	0.01
Chloorfenapyr Q	0.01	Diclobutrazool Q	0.01	Fenithrothion Q	0.01
Chloorfenson	0.01	Diclofop-methyl	0.01	Fenmedifam	0.01
Chloorfenvinfos (α+β) Q	0.01	Dicloran Q	0.01	Fenobucarb	0.01
Chloorfluazuron	0.01	Dicofol Q	0.01	Fenothrin Q	0.01



**Analyselijst GC-MSMS**

Fenoxaprop-p	0.01	Hexaflumuron	0.01	Oxychlooraan	0.01
Fenoxycarb Q	0.01	Hexazinon	0.01	Oxyfluorfen	0.01
Fenpiclonil Q	0.01	Hexythiazox Q	0.01	Paclobutrazool Q	0.01
Fenpropathrin Q	0.01	Imazalil Q	0.01	Paraoxon-ethyl	0.01
Fenpropidin	0.01	Imazamethabenz-methyl	0.01	Paraoxon-methyl	0.01
Fenpropimorf Q	0.01	Indoxacarb Q	0.01	Parathion-ethyl Q	0.01
Fenson	0.01	loxynil methyl	0.01	Parathion-methyl Q	0.01
Fensulfothion	0.01	loxynil octanoaat	0.01	Pebulaat	0.01
Fensulfothion-sulfon	0.01	lprobenfos Q	0.01	Penconazool Q	0.01
Fenthion Q	0.01	lprodion Q	0.01	Pencycuron Q	0.01
Fenthion-sulfoxide Q	0.01	lprovalicarb Q	0.01	Pendimethalin Q	0.01
Fentooat Q	0.01	Isazofos	0.01	Pentachlooraniline Q	0.01
Fenuron	0.01	Isodrin	0.01	Pentachlooranisole Q	0.01
Fenvaleraat Q	0.01	Isofenfos	0.01	Pentachloorfenol	0.01
Fenylfenol-2 Q	0.01	Isofenfos-methyl Q	0.01	Penthiopyrad	0.01
Fipronil Q	0.01	Isofenfos-oxon	0.01	Permethrin Q	0.01
Fipronil-desulfinyl	0.01	Isoprocarb	0.01	Perthaan	0.01
Fipronil-sulfide Q	0.01	Isoprothiolane	0.01	Picolinafen Q	0.01
Fipronil-sulfon Q	0.01	Isoproturon	0.01	Picoxystrobin Q	0.01
Flamprop-M-isopropyl	0.01	Isoxadifen-ethyl	0.01	Piperonyl-butoxide Q	0.01
Flamprop-M-methyl	0.01	Joodfenfos	0.01	Pirimicarb Q	0.01
Flonicamid Q	0.01	Kresoxim methyl Q	0.01	Pirimicarb-desmethyl Q	0.01
Fluazifop-p-butyl	0.01	Lenacil	0.01	Pirimifos-ethyl Q	0.01
Fluazinam Q	0.01	Leptofos	0.01	Pirimifos-methyl Q	0.01
Fluchloralin	0.01	Lufenuron Q	0.01	Prochloraz Q	0.01
Flucycloxuron	0.01	Malaoxon	0.01	Procymidon Q	0.01
Flucythrinaat Q	0.01	Malathion Q	0.01	Profam Q	0.01
Flubendiamide	0.01	Mecarbam Q	0.01	Profenofos Q	0.01
Fludioxonil Q	0.01	Mefosfolan	0.01	Profluralin Q	0.01
Flufenacet Q	0.01	Mefenpyr-diethyl	0.01	Profoxydim-lithium	0.01
Flufenoxuron Q	0.01	Mepanipirim Q	0.01	Promecarb	0.01
Flufenzin	0.01	Mepronil Q	0.01	Prometryn	0.01
Flumioxazin Q	0.01	Metalaxyl Q	0.01	Propachloor	0.01
Fluometuron	0.01	Metamitron	0.01	Propachloor, 2-OH	0.01
Fluopicolide Q	0.01	Metazachloor Q	0.01	Propafos	0.01
Fluotrimazool	0.01	Metconazool Q	0.01	Propanil	0.01
Fluquinconazool Q	0.01	Methabenzthiazuron	0.01	Propargiet Q	0.01
Flurenol-butyl	0.01	Methacrifos	0.01	Propazine	0.01
Flurochloridon	0.01	Methidathion Q	0.01	Propetamfos	0.01
Fluroxypyr-1-methyl	0.01	Methiocarb Q	0.01	Propiconazool Q	0.01
Flusilazool Q	0.01	Methopreen	0.01	Propoxur Q	0.01
Flutolanil Q	0.01	Methoprotryne	0.01	Propyzamide Q	0.01
Flutriafol Q	0.01	Methoxychloor Q	0.01	Proquinazid Q	0.01
Fluvalinaat Q	0.01	Metobromuron Q	0.01	Prosulfocarb Q	0.01
Folpet	0.01	Metolachloor-S Q	0.01	Prothiofos Q	0.01
Fonofos Q	0.01	Metolcarb	0.01	Prothooat	0.01
Foraat	0.01	Metoxuron	0.01	Pyracarbolidide	0.01
Foraat-sulfon Q	0.01	Metrafenon Q	0.01	Pyraclofos	0.01
Foraat-sulfoxide Q	0.01	Metribuzin Q	0.01	Pyraflufen-ethyl Q	0.01
Fosalon Q	0.01	Mevinfos Q	0.01	Pyrazofos Q	0.01
Fosfamidon	0.01	Mirex Q	0.01	Pyrethrinen Q	0.1
Fosmet	0.01	Monalide	0.01	Pyridaben Q	0.01
Fosthiazaat	0.01	Monocrotofos	0.01	Pyridafenthion Q	0.01
Fuberidazool	0.01	Monolinuron	0.01	Pyridalyl Q	0.01
Furalaxyl Q	0.01	Myclobutanil Q	0.01	Pyrifenox Q	0.01
Furathiocarb Q	0.01	Naftol-1- $\alpha$	0.01	Pyrimethanil Q	0.01
Furmecyclox	0.01	Napropamide	0.01	Pyriproxyfen Q	0.01
Halfenprox	0.01	Nitralin	0.01	Pyroquilon	0.01
Haloxypop-ethoxyethyl Q	0.01	Nitrofen Q	0.01	Quinalfos Q	0.01
Haloxypop-p-methyl Q	0.01	Nitrothal-isopropyl Q	0.01	Quinoxifen Q	0.01
HCH-alfa	0.01	Norflurazon	0.01	Quintozeen Q	0.01
HCH-beta	0.01	Nuarimol Q	0.01	Quizalofop-ethyl	0.01
HCH-gamma (Lindaan) Q	0.01	Ofurace	0.01	Resmethrin	0.01
Heptachloor Q	0.01	Orbencarb	0.01	S 421	0.01
Heptachloorepoxide Q	0.01	Oxadiargyl	0.01	Sethoxydim	0.01
Heptenofos Q	0.01	Oxadiazon	0.01	Silafuofen	0.01
Hexachloorbenzeen Q	0.01	Oxadixyl Q	0.01	Silthiofam	0.01
Hexaconazool Q	0.01	Oxycarboxin	0.01	Simazin Q	0.01



**Analyselijst GC-MSMS**

Spirodiclofen Q	0.01	Terbuthylazine Q	0.01	Triallaat	0.01
Spiromesifen Q	0.01	Terbutryn	0.01	Triamifos	0.01
Spiroxamine Q	0.01	Tetrachloorinfos Q	0.01	Triazamaat	0.01
Sulfotep Q	0.01	Tetraconazool Q	0.01	Triazofos Q	0.01
Sulprofos	0.01	Tetradifon Q	0.01	Trichloronaat	0.01
Tebuconazool Q	0.01	Tetramethrin	0.01	Tricyclazool	0.01
Tebufenpyrad Q	0.01	Tetrasul	0.01	Trietazine	0.01
Tebupirimfos	0.01	Thiabendazool	0.01	Trifenmorf	0.01
Tebuthiuron	0.01	Thiobencarb	0.01	Trifloxystrobin Q	0.01
Tecnazeen Q	0.01	Thiocyclam	0.01	Triflumizool Q	0.01
Teflubenzuron Q	0.01	Thiometon	0.01	Trifluralin Q	0.01
Tefluthrin Q	0.01	Thiometon-sulfon	0.01	Trinexapac-ethyl	0.01
Tepaloxymidim	0.01	Tolclofos-methyl Q	0.01	Vernolaat	0.01
Terbacil	0.01	Tolyfluanide Q	0.01	Vinclozolin Q	0.01
Terbufos Q	0.01	Transfluthrin	0.01	Zoxamide Q	0.01
Terbufos sulfone Q	0.01	Triadimefon Q	0.01		
Terbumeton	0.01	Triadimenol Q	0.01		



### Analyselijst LC-MS/MS

Analyselijst LC-MS/MS AGF: Lijst van componenten en hun rapportagegrens in mg/kg.

2,4-Dimethylaniline <sup>1</sup>	0.01	Cyazofamide	0.01	Fenothrin	0.01
2,4-Dimethylfenyl-1-methyl- formamide <sup>2</sup>	0.01	Cycloxydim	0.01	Fenpropidin Q	0.01
Abamectine	0.01	Cyenoptyrafen	0.01	Fenpropimorf Q	0.01
Acefaat Q	0.01	Cyflufenamide	0.01	Fenpyrazamin	0.01
Acetamiprid Q	0.01	Cyflumetofen	0.01	Fenpyroximaat Q	0.01
Acequinocyl	0.01	Cyhexatin / Azocyclotin	0.01	Fensulfothion	0.01
Alachloor	0.01	Cymoxanil	0.01	Fensulfothion-oxon	0.01
Alanycarb	0.01	Cyproconazool Q	0.01	Fensulfothion-oxon sulfone	0.01
Aldicarb Q	0.01	Cyprodinil Q	0.01	Fensulfothion-sulfon	0.01
Aldicarb-sulfon Q	0.01	Cyromazin	0.01	Fenthion Q	0.01
Aldicarb-sulfoxide Q	0.01	Cythioaat	0.01	Fenthion-oxon	0.01
Ametoctradin	0.01	Demeton-S-methyl Q	0.05	Fenthion-oxon-sulfone Q	0.01
Amitraz	0.01	Demeton-S-methylsulfon	0.01	Fenthion-oxon-sulfoxide	0.01
Anilazin	0.03	Desmedifam Q	0.01	Fenthion-sulfone Q	0.01
Anilofos	0.01	Diafenthion	0.01	Fenthion-sulfoxide	0.01
Asulam	0.01	Diazinon	0.01	Fentin	0.01
Atrazin	0.01	Dichlofluanide Q	0.01	Flonicamid	0.01
Atrazin Desethyl	0.01	Dichloorvos	0.01	Flonicamid-TFNA	0.01
Azaconazool	0.01	Diclobutrazool	0.01	Flonicamid-TFNG	0.01
Azadirachtin	0.05	Dicrotofos Q	0.01	Florasulam	0.01
Azamethifos	0.01	Diethofencarb	0.01	Fluazifop-p-butyl Q	0.01
Azinfos-methyl Q	0.01	Difenoconazool	0.01	Flubendiamide	0.01
Azoxystrobin Q	0.01	Difethialone	0.01	Flubenzimine	0.01
Benfuracarb als carbofuran		Dimethazon Q	0.01	Flufenacet Q	0.01
Benomyl als carbendazim		Dimethomorf Q	0.01	Flufenacet alcohol	0.01
Bentazon-8-OH	0.01	Dimoxystrobin Q	0.01	Flufenoxuron Q	0.01
Benthiavalicarb-isopropyl	0.01	Diniconazool Q	0.01	Flumioxazin	0.01
Bixafen	0.01	Dinotefuran	0.01	Fluometuron	0.01
Bitertanol Q	0.01	Disulfoton Q	0.05	Fluopyram	0.01
Boscalid Q	0.01	Disulfoton-sulfon Q	0.01	Fluoxastrobin	0.01
Bromacil Q	0.01	Disulfoton-sulfoxide Q	0.01	Fluquinconazool	0.01
Bromuconazool Q	0.01	Diuron Q	0.01	Flurprimidool	0.01
Bupirimaat Q	0.01	DMSA	0.01	Flusilazool	0.01
Buprofezin Q	0.01	DMST Q	0.01	Fluthiacet-methyl	0.01
Butafenacil	0.01	Dodemorf Q	0.01	Flutolanil	0.01
Butocarboxim Q	0.01	Dodine Q	0.01	Flutriafol	0.01
Butocarboxim-sulfon	0.01	Emamectin	0.01	Foraat	0.01
Butocarboxim-sulfoxide	0.01	EPN	0.02	Foraat-sulfon	0.01
Cadusafos	0.01	Epoconazool	0.01	Foraat-sulfoxide	0.01
Captafol	0.1	Etaconazool	0.01	Forchlorfenuron	0.01
Carbaryl Q	0.01	Ethiofencarb Q	0.01	Formetanaat	0.1
Carbendazim Q	0.01	Ethiofencarb-sulfon	0.01	Formothion	0.01
Carbetamide	0.01	Ethiofencarb-sulfoxide	0.01	Fosalon	0.01
Carbofuran Q	0.01	Ethion Q	0.01	Fosfamidon Q	0.01
Carbofuran-3-OH	0.01	Ethiprole	0.01	Fosmet Q	0.01
Carbosulfan Q	0.01	Ethirimol Q	0.01	Fosmetoxon	0.01
Carboxin Q	0.01	Ethofumesaat Q	0.01	Fosthiazaat Q	0.01
Carfentrazone-ethyl	0.01	Ethoprosfos	0.01	Foxim	0.01
Carpropamide	0.01	Ethoxysulfuron	0.01	Furathiocarb	0.01
Chloorbromuron Q	0.01	Etofenprox Q	0.01	Halofenozide	0.01
Chloorfenvinfos	0.01	Famoxadone	0.01	Haloxifop	0.01
Chloorpyrifos	0.01	Fenamidone	0.01	Heptenofos Q	0.01
Chloorpyrifos-methyl	0.01	Fenamifos Q	0.01	Hexaconazool	0.01
Chloorthiamide	0.01	Fenamifos-sulfon Q	0.01	Hexythiazox Q	0.01
Chloorthiofos	0.01	Fenamifos-sulfoxide Q	0.01	Hymexazol	0.05
Chloortoluron	0.01	Fenarimol Q	0.01	Imazalil Q	0.01
Chlorantraniliprole	0.01	Fenazaquin Q	0.01	Imazamox	0.01
Chlordimeform	0.01	Fenbuconazool	0.01	Imazaquin	0.01
Chloridazon	0.01	Fenbutatinoxide	0.01	Imazethapyr	0.01
Clethodim	0.01	Fenchloorfos-oxon	0.01	Imibenconazool	0.01
Clofentezin Q	0.01	Fenhexamide Q	0.01	Imidacloprid Q	0.01
Clomazone	0.01	Fenithrothion	0.03	Indoxacarb	0.01
Clothianidin	0.01	Fenmedifam Q	0.01	lprobenfos	0.01
Cyantraniliprole	0.01	Fenoxycarb Q	0.01	lprovalicarb Q	0.01
				Isocarbofos	0.01



**Analyselijst LC-MS/MS**

Isoprothiolane	0.01	Piperalin	0.01	Terbufos-sulfoxide	0.01
Isoproturon	0.01	Piperonyl-butoxide	0.01	Tetraconazool Q	0.01
Isopyrazam	0.01	Pirimicarb Q	0.01	Thiabendazool Q	0.01
Isoxaben	0.01	Pirimicarb-desmethyl Q	0.01	Thiabendazool-5-OH	0.01
Isoxaflutool	0.01	Pirimifos-methyl	0.01	Thiacloprid Q	0.01
Isoxathion	0.01	Prochloraz Q	0.01	Thiamethoxam	0.01
Kresoxim-methyl Q	0.01	Profenofos Q	0.01	Thiodicarb Q	0.01
Landrin (2.3.5 en 3.4.5)	0.01	Propachlor ESA	0.03	Thiofanaat-methyl Q	0.01
Lenacil	0.01	Propamocarb	0.01	Thiofanox	0.01
Linuron Q	0.01	Propaquizafop	0.01	Thiofanox-sulfon	0.01
Malaaxon Q	0.01	Propargiet	0.01	Thiofanox-sulfoxide	0.01
Malathion Q	0.01	Propiconazool Q	0.01	Thiometon-sulfon	0.01
Mandipropamid	0.01	Propoxur Q	0.01	Tolclofos-methyl	0.01
Mefenacet	0.01	Propoxycarbazon	0.01	Tolfenpyrad	0.01
Mefosfolan	0.01	Propyzamide	0.01	Tolyfluanide Q	0.01
Mepanipyrim Q	0.01	Proquinazide	0.01	Topramezone	0.01
Mepanipyrim 2-OH-propyl	0.01	Prosulfocarb	0.01	Tralkoxydim	0.01
Mepronil	0.01	Prosulfuron	0.01	Tralomethrin	0.01
Metaflumizon	0.01	Prothiocarb	0.1	Triadimefon	0.01
Metalaxyl	0.01	Prothioconazool-desthio	0.01	Triapenthenol	0.01
Metazachloor	0.01	Pymetrozine	0.01	Triazamaat	0.01
Metconazool Q	0.01	Pyraclostrobin Q	0.01	Triazofos Q	0.01
Methamidofos Q	0.01	Pyridaat	0.01	Tribenuron-methyl	0.01
Methidathion Q	0.01	Pyridaat CL 9673	0.01	Trichloorfon Q	0.01
Methiocarb	0.01	Pyridaben	0.01	Tricyclazool	0.01
Methiocarb-sulfon Q	0.01	Pyridafenthion	0.01	Tridemorf	0.01
Methiocarb-sulfoxide Q	0.01	Pyrifenox	0.01	Trifloxystrobin Q	0.01
Methomyl Q	0.01	Pyrimethanil Q	0.01	Triflumizool	0.01
Methoxyfenozide Q	0.01	Pyriproxyfen	0.01	Triflumizool amino	0.01
Metobromuron Q	0.01	Pyroxsulam	0.01	Triflumuron	0.01
Metoxuron Q	0.01	Quinalfos Q	0.01	Triflusaluron methyl	0.01
Metsulfuron-methyl	0.01	Quinclorac	0.01	Triforine	0.01
Milbemectin	0.05	Quinmerac	0.01	Triticonazool	0.01
Molinaat	0.01	Rimsulfuron	0.01	Uniconazool	0.01
Monocrotofos Q	0.01	Rotenon Q	0.01	Vamidothion	0.01
Monolinuron Q	0.01	Spinetoram	0.01	Zoxamide	0.01
Monuron	0.01	Spinosad Q	0.01		
Myclobutanil	0.01	Spirodiclofen Q	0.01	2.4-D	0.01
Napropamide	0.01	Spiromesifen	0.01	2.4-DB	0.05
Neburon	0.01	Spirotetramat	0.01	2.4.5-T	0.01
Nicosulfuron	0.01	Spirotetramat-enol	0.01	Bentazon	0.01
Nitenpyram	0.01	Spirotetramat-enol-glucoside	0.01	Bromoxynil	0.01
Novaluron	0.01	Spirotetramat-ketohydroxy	0.01	Clodinafop	0.01
Nuarimol Q	0.01	Spirotetramat-monohydroxy	0.01	Cyclanilide	0.01
Omethoaat Q	0.01	Spiroxamine	0.01	Dicamba	0.02
Oxadixyl Q	0.01	Sulcotrione	0.01	Dichloorprop	0.02
Oxamyl Q	0.01	Sulfamethoxazol	0.01	Diclofop	0.01
Oxamyl-oxim	0.01	Sulfosulfuron	0.01	Dinocap	0.01
Oxycarboxin	0.01	Sulfoxaflor	0.01	Dithianon	0.01
Oxydemeton-methyl	0.01	Tebuconazool Q	0.01	Fluazifop	0.01
Paclbutrazol	0.01	Tebufenozide	0.01	Fluazinam	0.01
Paraoxon Q	0.01	Tebufenpyrad Q	0.01	Ioxynil	0.01
Paraoxon-methyl	0.01	Teflubenzuron	0.01	Lufenuron	0.01
Penconazool	0.01	Tembotrione	0.01	Mecoprop	0.01
Pencycuron Q	0.01	TEPP	0.01	MCPA	0.01
Phenkapton	0.01	Terbufos	0.05	MCPB	0.01
Picoxystrobin	0.01	Terbufos-sulfon	0.01	Triclopyr	0.02





**Specifieke analyses**

**Lijst van componenten en hun rapportagegrens in mg/kg.**

2.4.5-T	0.005	Dimethachloor	0.01	Molinate	0.01
2.4-D	0.005	Dimethenamid-p	0.01	Monalide	0.01
2.4-DB	0.005	Dinoseb	0.01	Monolinuron	0.01
Aclonifen	0.01	Dinoterb	0.01	Monuron	0.01
Alachloor	0.01	Dithianon	0.01	Naftylazijnzuur, 1-	0.01
Alloxydim	0.005	Dipropetryn	0.01	Napropamide	0.01
Ametryn	0.01	Diuron	0.01	Neburon	0.01
Amidosulfuron	0.01	DNOC	0.01	Nitralin	0.01
Aminopyralid	0.01	EPTC	0.01	Nitrofen	0.01
Anilofos	0.01	Ethidimuron	0.01	Norflurazon	0.01
Asulam	0.01	Ethofumesaat	0.01	Orbencarb	0.01
Atrazin	0.01	Fenmedifam	0.01	Oxadiargyl	0.01
Atrazin-desethyl	0.01	Fenoprop	0.005	Oxadiazon	0.01
Atrazin-desisopropyl	0.01	Fenoxaprop-p	0.01	Oxyfluorfen	0.01
Aziprotryn	0.01	Fenuron	0.01	Paclobutrazol	0.01
Barban	0.1	Flamprop-M-isopropyl	0.01	Pebulaat	0.05
Benflubutamid	0.01	Flamprop-M-methyl	0.01	Pendimethalin	0.01
Benfluralin	0.01	Florasulam	0.01	Pentachlooranisole	0.05
Bentazon	0.005	Fluazifop	0.005	Pentachloorfenol	0.01
Bentazon-8-OH	0.01	Fluazifop-p-butyl	0.01	Picolinafen	0.05
Benzoylprop-ethyl	0.01	Fluazinam	0.005	Picloram	0.01
Bifenox	0.01	Fluchloralin	0.01	Profam	0.01
Bromacil	0.01	Flufenacet	0.01	Profluralin	0.01
Bromoxynil	0.005	Flufenacet alcohol	0.01	Profoxydim-lithium	0.05
Bromoxynil-methyl	0.01	Flumioxazin	0.02	Prometryn	0.01
Bromoxynil-octanoaat	0.05	Fluometuron	0.01	Propachloor	0.01
Butafenacil	0.01	Flurenol-butyl	0.01	Propanil	0.01
Butralin	0.01	Fluridon	0.01	Propaquizafop	0.01
Buturon	0.01	Flurochloridon	0.01	Propazine	0.01
Butylaat	0.01	Fluroxypyr	0.005	Propiconazool	0.01
Carbetamide	0.01	Fluroxypyr-1-methyl	0.01	Propoxycarbazon	0.01
Carfentrazon-ethyl	0.01	Flurprimidool	0.01	Propyzamide	0.01
Chloorbromuron	0.01	Flurtamon	0.01	Prosulfocarb	0.01
Chloorbufam	0.01	Fluthiacet-methyl	0.01	Prosulfuron	0.01
Chlooroxuron	0.02	Forchlorfenuron	0.01	Pyraflufen-ethyl	0.02
Chloorprofam	0.01	Haloxypop	0.005	Pyridaat	0.01
Chloorthal-dimethyl	0.01	Hexazinon	0.01	Pyridaat CL 9673	0.01
Cinmethylin	0.01	Imazamethabenz-methyl	0.01	Quinmerac	0.01
Clodinafop	0.01	Imazaquin	0.01	Quizalofop-ethyl	0.01
Clodinafop-propargyl	0.01	Imazethapyr	0.01	Rimsulfuron	0.01
Chloorthiamide	0.01	Iodosulfuron methyl	0.01	Sebuthylazin	0.01
Chloortoluron	0.01	Ioxynil	0.005	Sethoxydim	0.02
Cloquintocet-mexyl	0.01	Isoproturon	0.01	Simazin	0.01
Chloridazon	0.01	Isoxaben	0.01	Sulcotrione	0.01
Clethodim	0.01	Isoxadifen-ethyl	0.02	Tebutam	0.01
Clomazone	0.01	Isoxaflutool	0.01	Tebuthiuron	0.01
Clopyralid	0.01	Lenacil	0.01	Tepaloxymid	0.01
Cyanazin	0.01	Linuron	0.01	Terbacil	0.01
Cyclanilide	0.01	MCPA	0.005	Terbumeton	0.01
Cycloaat	0.01	MCPB	0.005	Terbuthylazine	0.01
Cyhalofop-butyl	0.01	Mecoprop	0.005	Terbuthylazine desethyl	0.01
Cycloxydim	0.01	Mefenacet	0.01	Terbutryn	0.01
Daminozide	0.01	Mefenpyr-diethyl	0.01	Thiobencarb	0.01
Desmedifam	0.01	Mesotrione	0.01	Topramezone	0.01
Desmetryn	0.01	Metamitron	0.01	Tralkoxydim	0.1
Diallaat	0.01	Metazachloor	0.01	Triapenthenol	0.01
Dicamba	0.01	Methabenzthiazuron	0.01	Tribenuron-methyl	0.01
Dichlobenil	0.01	Methoprotryne	0.01	Triallaat	0.01
Dichloorprop	0.005	Metobromuron	0.01	Triclopyr	0.005
Diclofop	0.01	Metolachlor	0.01	Trietazine	0.01
Diclofop-methyl	0.01	Metolachloor-S	0.01	Trifluralin	0.01



# New Agro *Research* ANALYSELIJST PESTICIDEN

## New Agro Research

### Specifieke analyses

Difenamid	0.01	Metosulam	0.01	Triflusulfuron-methyl	0.01
Difenoxyuron	0.01	Metoxuron	0.01	Trinexapac-ethyl	0.01
Diflufenican	0.01	Metribuzin	0.01	Uniconazool	0.01
Dimefuron	0.01	Metsulfuron-methyl	0.01	Vernolaat	0.01

---

---